

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14195	(classif\$9 or categor\$7 or cluster\$5).ab. and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/03 16:43
S2	975	(classif\$9 or categor\$7 or cluster\$5).ab. and (@ad<"20010705") and ((compar\$3 or match\$3) with (keyword or key or term or word or attribute)) and (weight\$2 or score\$2 or threshold)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/07 13:02
S3	203	(classif\$9 or categor\$7 or cluster\$5).ab. and (@ad<"20010705") and ((compar\$3 or match\$3) with (keyword or key or term or word or attribute)) and (weight\$2 or score\$2 or threshold) and ((knowledge with base) or ((predetermined or predefined) near3 (categor\$5 or cluster\$2 or group\$2)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/05 19:34
S4	7	"6032145".pn. or "6137911".pn. or "6169992".pn. or "6192360".pn. or "6195655".pn. "6195657".pn. or "6212532".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/02 20:58
S5	18	"4468228".pn. or "5630125".pn. or "5706497".pn. or "5781772".pn. or "5806061".pn. or "5832526".pn. or "5903890".pn. or "5924090".pn. or "5995971".pn. or "6012053".pn. or "6014659".pn. or "6018735".pn. or "6026398".pn. or "6111578".pn. or "6125361".pn. or "6157922".pn. or "6230154".pn. or "6259451".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/03 15:47
S6	17	("4468228".pn. or "5630125".pn. or "5706497".pn. or "5781772".pn. or "5806061".pn. or "5832526".pn. or "5903890".pn. or "5924090".pn. or "5995971".pn. or "6012053".pn. or "6014659".pn. or "6018735".pn. or "6026398".pn. or "6111578".pn. or "6125361".pn. or "6157922".pn. or "6230154".pn. or "6259451".pn.) and (classif\$9 or categor\$7 or group\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/02 21:03

S7	8	("4468228".pn. or "5630125".pn. or "5706497".pn. or "5781772".pn. or "5806061".pn. or "5832526".pn. or "5903890".pn. or "5924090".pn. or "5995971".pn. or "6012053".pn. or "6014659".pn. or "6018735".pn. or "6026398".pn. or "6111578".pn. or "6125361".pn. or "6157922".pn. or "6230154".pn. or "6259451".pn.) and (weight\$3 or scor\$3 or rank\$5) and (classif\$9 or categor\$7 or group\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/05 19:04
S8	8	("4468228".pn. or "5630125".pn. or "5706497".pn. or "5781772".pn. or "5806061".pn. or "5832526".pn. or "5903890".pn. or "5924090".pn. or "5995971".pn. or "6012053".pn. or "6014659".pn. or "6018735".pn. or "6026398".pn. or "6111578".pn. or "6125361".pn. or "6157922".pn. or "6230154".pn. or "6259451".pn.) and (weight\$3 or scor\$3 or rank\$5) and (classif\$9 or categor\$7 or group\$3) and (search\$3 or quer\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 21:38
S9	4	("4468228".pn. or "5630125".pn. or "5706497".pn. or "5781772".pn. or "5806061".pn. or "5832526".pn. or "5903890".pn. or "5924090".pn. or "5995971".pn. or "6012053".pn. or "6014659".pn. or "6018735".pn. or "6026398".pn. or "6111578".pn. or "6125361".pn. or "6157922".pn. or "6230154".pn. or "6259451".pn.) and (predetermin\$5 same (weight\$3 or scor\$3 or rank\$5)) and (classif\$9 or categor\$7 or group\$3) and (search\$3 or quer\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/05 19:16
S10	21117	"707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 15:59
S11	77	"707"/\$.ccls. and (classif\$9 or categor\$7 or cluster\$5).ab. and (@ad<"20010705") and ((compar\$3 or match\$3) with (keyword or key or term or word or attribute)) and (weight\$2 or score\$2 or threshold) and (((knowledge with base) or ((predetermined or predefined) near3 (categor\$5 or cluster\$2 or group\$2))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 15:59

S12	84	"707"/\$.ccls. and (classif\$9 or categor\$7 or cluster\$5).ab. and (@ad<"20010705") and (select\$3 with (keyword or key or term or word or attribute)) and ((compar\$3 or match\$3 or search\$3) with (keyword or key or term or word or attribute)) and (weight\$2 or score\$2 or threshold) and ((knowledge with base) or ((predetermined or predefined) near3 (categor\$5 or cluster\$2 or group\$2))) and (classif\$9 or categor\$7 or cluster\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 16:00
S13	248	"707"/\$.ccls. and (classif\$9 or categor\$7 or cluster\$5).ab. and (@ad<"20010705") and ((select\$3 or extract\$3 or choos\$3) with (keyword or key or term or word or attribute)) and ((compar\$3 or match\$3 or search\$3) with (categor\$5 or classif\$9 or group\$2 or knowledge)) and (weight\$2 or score\$2 or threshold)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 16:03
S14	99	"707"/\$.ccls. and (classif\$9 or categor\$7 or cluster\$5).ab. and (@ad<"20010705") and (((select\$3 or extract\$3 or choos\$3) with (keyword or key or term or word or attribute)) same (weight\$2 or score\$2 or threshold or factor)) and ((compar\$3 or match\$3 or search\$3) with (categor\$5 or classif\$9 or group\$2 or knowledge))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 16:12
S15	26	"707"/\$.ccls. and (classif\$9 or categor\$7 or cluster\$5).ab. and (@ad<"20010705") and ((select\$3 or extract\$3 or choos\$3) with (keyword or key or term or word or attribute or descript\$5)) and ((predetermin\$3 or predefin\$3) with (weight\$2 or score\$2 or threshold or factor) with (keyword or key or term or word or attribute or descript\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 16:25

S16	262	((classif\$9 or categor\$7 or cluster\$5) with (product or document or merchandise)) and ((select\$3 or choos\$3) with (keyword or key or term or word or attribute or descript\$5)) and ((predetermin\$5 or predefin\$5) with (weight\$2 or score\$2 or value or threshold or factor) with (keyword or key or term or word or attribute or descript\$5)) and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 22:19
S17	11	((classif\$9 or categor\$7 or cluster\$5) with (product or document or merchandise)).ab. and ((select\$3 or choos\$3) with (keyword or key or term or word or attribute or descript\$5)) and ((predetermin\$5 or predefin\$5) with (weight\$2 or score\$2 or value or threshold or factor) with (keyword or key or term or word or attribute or descript\$5)) and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 17:06
S18	277	((classif\$9 or categor\$7 or cluster\$5) with (product or document or merchandise)) and ((select\$3 or choos\$3) with (keyword or key or term or word or attribute or descript\$5 or meta\$7)) and ((predetermin\$5 or predefin\$5) with (weight\$2 or score\$2 or value or threshold or factor) with (keyword or key or term or word or attribute or descript\$5 or meta\$7)) and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 20:39
S19	27	((classif\$9 or categor\$7 or cluster\$5) with (product or document or merchandise)) and ((select\$3 or choos\$3) with descript\$5) and ((predetermin\$5 or predefin\$5) with (weight\$2 or score\$2 or value or threshold or factor) with descript\$5) and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 20:22

S20	25	((classif\$9 or categor\$7 or cluster\$5) with (product or document or merchandise)) and ((select\$3 or choos\$3) with (keyword or key or term or word or attribute or meta\$7) with (descri\$9 or associat\$3) with (product or document or merchandise)) and ((predetermin\$5 or predefin\$5) with (weight\$2 or score\$2 or value or threshold or factor) with (keyword or key or term or word or attribute or descript\$5 or meta\$7)) and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/06 20:41
S21	145	((classif\$9 or categor\$7 or cluster\$5) with (product or document or merchandise)) and ((select\$3 or choos\$3) with (keyword or key or term or word or attribute or descript\$5)) and ((predetermin\$5 or predefin\$5) with (weight\$2 or score\$2 or value or threshold or factor) with (keyword or key or term or word or attribute or descript\$5)) and (@ad<"20010705") and ("707"/\$.ccls. or "715"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/07 10:28
S22	1	"5924090".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/03 15:37
S23	23	"4468228".pn. or "5630125".pn. or "5706497".pn. or "5781772".pn. or "5806061".pn. or "5832526".pn. or "5903890".pn. or "5924090".pn. or "5995971".pn. or "6012053".pn. or "6014659".pn. or "6018735".pn. or "6026398".pn. or "6111578".pn. or "6125361".pn. or "6157922".pn. or "6230154".pn. or "6259451".pn. or "5428735".pn. or "5511186".pn. or "5715444".pn. or "5819251".pn. or "6023683".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/03 16:06
S24	17807	((classif\$9 or categor\$7 or cluster\$5 or catelog\$3) with (product or item or merchan\$7)) and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/03 16:46
S25	753	((classif\$9 or categor\$7 or cluster\$5 or catelog\$3) with (product or item or merchan\$7)).ab. and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/04 16:29
S26	260	S25 and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/03 16:49

S27	46	S26 and (((compar\$3 or match\$3 or search\$3) with (attribute or name or descript\$3 or describ\$5 or identifier or character or usage) with (product or item or merchan\$7)) same ((classif\$9 or categor\$7 or cluster\$5 or catelog\$3) with (product or item or merchan\$7))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/04 17:55
S28	23	S27 and (score or weight or threshold or (thresh adj hold) or confidence)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/04 16:28
S29	2	"6321224".pn. or "6697799".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/03 17:08
S30	81	(((compar\$3 or match\$3) with (attribute or name or descript\$3 or describ\$5 or identifier or character or usage) with (product or item or merchan\$7)) same (classif\$9 or categor\$7 or cluster\$5 or catelog\$3)) and ((add\$3 or insert\$3 or associat\$3 or connect\$3 or assign\$3 or sign\$3) with (product or item or merchan\$7) with (categor\$5 or catelog or cluster or group or class\$7)) and (@ad<"20010705")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/05 16:34
S31	25	(cluster\$3 or classif\$7 or categor\$5).ti,ab. and (((compar\$3 or match\$3) with (attribute or name or descript\$3 or describ\$5 or identifier or character\$5 or usage) with (product or item or merchan\$7)) same (classif\$9 or categor\$7 or cluster\$5 or catelog\$3)) and ((add\$3 or insert\$3 or associat\$3 or connect\$3 or assign\$3 or sign\$3) with (product or item or merchan\$7) with (categor\$5 or catelog or cluster or group or class\$7)) and (@ad<"20010705") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/05 17:55

S32	12	(cluster\$3 or classif\$7 or categor\$5).ti,ab. and (((compar\$3 or match\$3) with (attribute or name or descript\$3 or describ\$5 or identifier or character\$5 or usage) with (product or item or merchan\$7)) same (classif\$9 or categor\$7 or cluster\$5 or catelog\$3)) and ((add\$3 or insert\$3 or associat\$3 or connect\$3 or assign\$3 or sign\$3) with (product or item or merchan\$7) with (categor\$5 or catelog or cluster or group or class\$7)) and (@ad<"20010705") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and (weight\$3 or scor\$3 or confidence or thresh\$7)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/05 18:09
S33	218	((cluster\$3 or classif\$7 or categor\$5) same ((great\$3 or less or over or larger) with thresh\$7)) and (@ad<"20010705") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/05 18:17
S34	96	((cluster\$3 or classif\$7 or categor\$5) same ((great\$3 or less or over or larger) with (thresh\$7 or coefficient) with value)) and (@ad<"20010705") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/05 18:20
S35	3	(cluster\$3 or classif\$7 or categor\$5) and (((great\$3 or less or over or larger) with (thresh\$7 or coefficient) with value) same (another or other)) and (@ad<"20010705") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/05 18:21